



Neshoba County Lake 2022

Reel Facts

Ryan Jones – Fisheries Biologist

Ryan.Jones@wfp.ms.gov (601) 859-3421

General Information: Neshoba County Lake is a 138 acre impoundment that was transferred to the State by the Neshoba County American Legion. After repairs, the lake was reopened in 1985 as a State Lake. It is an exceptional fishery for Largemouth Bass.

Location: Six miles southeast of Philadelphia off of Hwy 486 in Neshoba County.

Fishery Management: Largemouth Bass, bream, crappie and catfish.

Purchase a Fishing License: https://www.ms.gov/mdwfp/hunting_fishing/

Amenities

- Boat ramp
- Handicap accessible fishing piers
- Rental pavilion
- 22 camp sites with full hookups

Creel Limits

- 30 crappie per day with no length restrictions
- Largemouth Bass: Slot limit, bass 16-20 inches in length must be released, 10 bass per day creel limit, only one may be over 20 inches in length.
- 100 bream per day
- 10 catfish per day

Regulations

- Pole or rod and reel only
- No trot lines, throw lines, jugs, FFFD's, yo-yos, set hooks, or limb lines allowed.
- Largemouth Bass between 16-20 inches must be immediately released. One over 20 inches may be kept.

Permits

- Sport fishing licenses and fishing permits are required except on designated days during National Fishing and Boating Week.
- Camping is on a first come-first served basis. Daily and monthly permits are available.

Sportfishing Tips

Crappie

- In the spring, target shallow structure that is close to the creek with jigs or minnows. In the summer and winter, fish deeper water along creek ledges.

Largemouth Bass

- In early spring try shiners in open water for big fish. Target aquatic vegetation with top water lures as weather warms. Swim baits also work well along the levee.

Bream


- Use crickets or red worms, from early spring to fall, at depths of 2-4 ft.

Catfish

- Tight lining on the bottom with liver or worms works well around the earthen piers.

Below: 2021 electrofishing results from Neshoba County Lake. Surveys are conducted every two years during the fall.

Species	# of fish collected	% of sample	Average Length (inches)	Maximum Length (inches)	Average Weight (pounds)	Catch Rate – Adult fish (fish/mile)
Bluegill	110	38	4.2	8.7	0.1	42
Largemouth	85	29	11	19	1.1	33
Gizzard Shad	33	11	11	13.4	-	13
Threadfin Shad	32	11	2.8	4.3	-	12
White Crappie	9	3	7.8	12.2	0.4	3
Redear sunfish	7	2	8.8	11	0.5	3
Catfish	6	2	23.6	27.8	4.6	2
Golden Shiner	5	2	5.5	8.7	-	2
Black Crappie	5	2	7.1	12.5	0.4	2





Above: Length distributions for Largemouth Bass collected during 2021 fall electrofishing.



Above: A Bluegill (left) and a Redear Sunfish (right) sampled during fall electrofishing.

Below: Length distributions for Bluegill and Redear Sunfish collected during 2021 fall electrofishing. The bream population looks good as large Redear Sunfish were collected along with numerous small Bluegill which will serve as the primary forage base for sportfish such as Largemouth Bass and Black Crappie.



Below: Neshoba County Lake depth map.

