



# Chotard & Albemarle 2022

## REEL FACTS

Ryan Jones– Fisheries Biologist

[Ryan.Jones@wfp.ms.gov](mailto:Ryan.Jones@wfp.ms.gov) (601) 859-3421

**General Information:** Chotard and Albemarle are two oxbow lakes formed by the Mississippi River. These two lakes are 1,123 and 657 acres in size, respectively. Chotard remains connected to the Mississippi River by a narrow chute at the south end of the lake and is accessible from the river when the water level is 13' or higher (Vicksburg gage).

**Location:** Approximately 25 miles north of Vicksburg off Hwy 465.

**Fishery Management:** Largemouth Bass (LMB), bream, crappie, and catfish.

**Purchase a Fishing License:** [https://www.ms.gov/mdwfp/hunting\\_fishing/](https://www.ms.gov/mdwfp/hunting_fishing/)

### Amenities

- 1 public ramp at Laney's Landing with parking lot
- One private ramp at Chotard Landing

### Creel Limits

*The following apply to both sides of the lake:*

- Black bass: 10
- Crappie: 50
- Bream: No limit
- Catfish: No limit
- White Bass: No Limit

### Regulations

*Chotard and Albemarle are boundary waters with Louisiana and the following regulations apply to the Mississippi side of the lake.*

#### Yo-Yo's and Jugs

- No more than 25 jugs and/or 25 yo-yos may be fished per person.

#### Handgrabbing

- Hand grabbing season for catfish is open May 1 to July 15 each year.
- Only wooden containers may be placed in the lake.

### Fishing Tips

*Fishing is typically best when the river is on a slow fall.*

#### Crappie

- Target shallow areas along the shoreline during spring with jigs or minnows.
- During fall and winter, target deeper areas.

#### Largemouth Bass

- The chute between Chotard and Albemarle, and the springs on the east shore of Albemarle are good places to fish for bass.
- Spinner baits and crank baits are popular choices.


#### Bream

- Try crickets or worms around shoreline brush.

#### Catfish

- Oxbows generally have excellent numbers of catfish. Use liver, worms, and cutbait.

## Electrofishing Catch Rate




**Above:** Numbers of bass, bream and crappie expressed as number per mile collected during 2020 fall electrofishing at Lakes Chotard and Albemarle. Bass and crappie abundance increased slightly from 2015 to 2020 while bream abundance declined to historical rates. These oxbows are very productive and sportfish populations should increase in abundance following two high water years.


**Right:** This 327-pound state record Alligator Gar was caught by a commercial fisherman in Chotard Lake. It is now on display at the Mississippi Museum of Natural Sciences.




## Largemouth Bass



## Bluegill



## Crappie



**Above:** Length distributions for Largemouth Bass, Bluegill and Crappie collected during 2020 fall electrofishing at Chotard and Albemarle.

**Below:** Asian Carp are abundant in these connected oxbows, and their impact on gamefish is uncertain.

