



Chotard & Albemarle 2023

REEL FACTS

Buford Lessley – Fisheries Biologist
Buford.Lessley@wfp.ms.gov (601) 859-3421

General Information: Chotard and Albemarle are two oxbow lakes formed by the Mississippi River. These two lakes are 1,123 and 657 acres in size, respectively. Chotard remains connected to the Mississippi River by a narrow chute at the south end of the lake, and is accessible from the river when the water level is 13' or higher (Vicksburg gage).

Location: Approximately 25 miles north of Vicksburg off Hwy 465.

Fishery Management: Largemouth Bass (LMB), bream, crappie, and catfish.

Purchase a Fishing License: https://www.ms.gov/mdwfp/hunting_fishing/

Amenities

- 1 public ramp at Laney's with parking lot
- One private ramp at Chotard Landing

Creel Limits

The following apply to both sides of the lake:

- Black bass: 10
- Crappie: 50
- Bream: No limit
- Catfish: No limit
- White Bass: No Limit

Regulations

Chotard and Albemarle are boundary waters with Louisiana and the following regulations apply to the Mississippi side of the lake.

Yo-Yo's and Jugs

- No more than 25 jugs and/or 25 yo-yos may be fished per person.

Handgrabbing

- Hand grabbing season for catfish is open May 1 to July 15 each year.
- Only wooden containers may be placed in the lake.

Fishing Tips

Fishing is typically best when the river is on a slow fall.

Crappie

- Target shallow areas along the shoreline during spring with jigs or minnows.
- During fall and winter, target deeper areas.

Largemouth Bass

- The chute between Chotard and Albemarle, and the springs on the east shore of Albemarle are good places to fish for bass.
- Spinner baits and crank baits are popular choices.


Bream

- Try crickets or worms around shoreline brush.

Catfish

- Oxbows generally have excellent numbers of catfish. Use liver, worms, and cutbait.




Electrofishing Catch Rate



Above: Numbers of bass, bream and crappie expressed as number per mile collected during 2022 fall electrofishing at Lakes Chotard and Albemarle. Bass, bream and crappie abundance decreased from 2020 to 2022. The Mississippi River was at historic lows for a long period during 2022. The prolonged disconnection from the river may have affected catch rates due to high biological oxygen demand.

Right: This 327-pound state record Alligator Gar was caught by a commercial fisherman in Chotard Lake. It is now on display at the Mississippi Museum of Natural Sciences.





Above: Length distributions for Largemouth Bass, Bluegill and Black Crappie collected during 2022 fall electrofishing at Chotard and Albemarle. Twelve samples were done on Chotard and Albermarle with only a total 3 White Crappie being sampled.

Below: Asian Carp are abundant in these connected oxbows, and their impact on gamefish is uncertain.

